Quizlet

## 14 Multiple choice questions

1.	a solution in which no	o more solute can	dissolve, exces	s solid settles o	n the bottom
----	------------------------	-------------------	-----------------	-------------------	--------------

- a. thermal pollution
- b. solution
- c. saturated solution
- d. surface tension
- 2. a measure of a fluid's resistance to flow; e.g., honey is more viscous than water, but petrol is less viscous
  - a. solution
  - b. viscosity
  - c. solute
  - d. solvent
- 3. is the formation of a solid during a chemical reaction when liquids or gases react
  - a. surface tension
  - b. precipitation
  - c. solution
  - d. viscosity
- 4. the amount of heat energy required to raise the temperature of 1 gram of the substance by 1C° (or by 1 K)
  - a. surface tension
  - b. viscosity
  - c. specific heat capacity
  - d. precipitation
- 5. the release of heat into the environment, particularly pumping warm water from power plant cooling towers into rivers and lakes
  - a. solution
  - b. saturated solution
  - c. thermal pollution
  - d. precipitation
- 6. the substance dissolved in a given solution; e.g.. sugar is the solute when it dissolves in water
  - a. solution
  - b. solvent
  - c. viscosity
  - d. solute

<ul> <li>7. the physical and chemical breakdown of rocks <ul> <li>a. solute</li> <li>b. solution</li> <li>c. weathering</li> <li>d. solvent</li> </ul> </li> <li>8. is a bond between two different elements; due to the unequal sharing of the electrons, there is a dipole between the two atoms of the bond <ul> <li>a. solvent</li> <li>b. polar molecule</li> <li>c. polar bond</li> <li>d. solution</li> </ul> </li> <li>9. reactions where there is a forward reaction as well as a back reaction, e.g., N2 + 3H2 = 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> </li> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; "C = 5/9/(° - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved</li> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> <li>d. solvent</li> </ul> </li>	Chen	nistry 6	Water - Part 2   Quizlet	4/04/2016 11
b. solution c. weathering d. solvent  8. is a bond between two different elements; due to the unequal sharing of the electrons, there is a dipole between the two atoms of the bond a. solvent b. polar molecule c. polar bond d. solution  9. reactions where there is a forward reaction as well as a back reaction, e.g., N2 + 3H2 = 2NH3 a. surface tension b. reversible reactions c. thermal pollution d. precipitation  10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; "C = 5/9("F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved a. polar molecule b. temperature scales c. polar bond d. weathering  11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar a. solute b. polar bond c. solution	7.	the p	physical and chemical breakdown of rocks	
<ul> <li>c. weathering</li> <li>d. solvent</li> </ul> 8. is a bond between two different elements; due to the unequal sharing of the electrons, there is a dipole between the two atoms of the bond <ul> <li>a. solvent</li> <li>b. polar molecule</li> <li>c. polar bond</li> <li>d. solution</li> </ul> 9. reactions where there is a forward reaction as well as a back reaction, e.g., N2 + 3H2 ≠ 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> 10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; "C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> 11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul>		a.	solute	
d. solvent  8. is a bond between two different elements; due to the unequal sharing of the electrons, there is a dipole between the two atoms of the bond  a. solvent  b. polar molecule  c. polar bond  d. solution  9. reactions where there is a forward reaction as well as a back reaction, e.g N2 + 3H2 = 2NH3  a. surface tension  b. reversible reactions  c. thermal pollution  d. precipitation  10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; "C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved  a. polar molecule  b. temperature scales  c. polar bond  d. weathering  11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar  a. solute  b. polar bond c. solution		b.	solution	
<ul> <li>8. is a bond between two different elements; due to the unequal sharing of the electrons, there is a dipole between the two atoms of the bond <ul> <li>a. solvent</li> <li>b. polar molecule</li> <li>c. polar bond</li> <li>d. solution</li> </ul> </li> <li>9. reactions where there is a forward reaction as well as a back reaction, e.g N2 + 3H2 = 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> </li> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved</li> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li>		C.	weathering	
two atoms of the bond  a. solvent  b. polar molecule  c. polar bond  d. solution  9. reactions where there is a forward reaction as well as a back reaction, e.g., N2 + 3H2 ≠ 2NH3  a. surface tension  b. reversible reactions  c. thermal pollution  d. precipitation  10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved  a. polar molecule  b. temperature scales  c. polar bond  d. weathering  11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar  a. solute  b. polar bond  c. solution		d.	solvent	
<ul> <li>b. polar molecule</li> <li>c. polar bond</li> <li>d. solution</li> </ul> 9. reactions where there is a forward reaction as well as a back reaction, e.g., N2 + 3H2 = 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> 10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> 11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul>	8.			tween the
<ul> <li>c. polar bond</li> <li>d. solution</li> <li>9. reactions where there is a forward reaction as well as a back reaction, e.g N2 + 3H2 ≠ 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> </li> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved</li> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li>		a.	solvent	
<ul> <li>d. solution</li> <li>9. reactions where there is a forward reaction as well as a back reaction, e.g N2 + 3H2 = 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> </li> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> </li> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		b.	polar molecule	
<ul> <li>9. reactions where there is a forward reaction as well as a back reaction, e.g N2 + 3H2 = 2NH3 <ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> </li> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> </li> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		c.	polar bond	
<ul> <li>a. surface tension</li> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> 10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> 11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul>		d.	solution	
<ul> <li>b. reversible reactions</li> <li>c. thermal pollution</li> <li>d. precipitation</li> </ul> 10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> 11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul>	9.	react	ions where there is a forward reaction as well as a back reaction, e.g $N2 + 3H2 \Rightarrow 2NH3$	
c. thermal pollution d. precipitation  10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved  a. polar molecule  b. temperature scales  c. polar bond  d. weathering  11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar  a. solute  b. polar bond  c. solution		a.	surface tension	
<ul> <li>d. precipitation</li> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> </li> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		b.	reversible reactions	
<ul> <li>10. in Australia, as well as the majority of the world, temperature is measured in degrees Celsius; a minority of countries including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> </li> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		c.	thermal pollution	
<ul> <li>including the US, use Fahrenheit temperature; °C = 5/9(°F - 32); absolute temperature, measured in kelvin, is used in scientific work, especially where calculation are involved <ul> <li>a. polar molecule</li> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> </li> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		d.	precipitation	
<ul> <li>b. temperature scales</li> <li>c. polar bond</li> <li>d. weathering</li> </ul> 11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul>	10.	inclu	ding the US, use Fahrenheit temperature; $^{\circ}$ C = 5/9( $^{\circ}$ F - 32); absolute temperature, measured in kelvin, i	
<ul> <li>c. polar bond</li> <li>d. weathering</li> </ul> 11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g., water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul>		a.	polar molecule	
<ul> <li>d. weathering</li> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		b.	temperature scales	
<ul> <li>11. a substance, present in the larger quantity, which dissolves a solute, forming a solution; e.g water is a solvent for sugar <ul> <li>a. solute</li> <li>b. polar bond</li> <li>c. solution</li> </ul> </li> </ul>		c.	polar bond	
sugar  a. solute  b. polar bond  c. solution		d.	weathering	
b. polar bond c. solution	11.			ent for
c. solution		a.	solute	
		b.	polar bond	
d. solvent		C.	solution	
		d.	solvent	

- 12. is one that has an overall dipole; it has dipoles associated with polar bonds that do not cancel as it lacks symmetry; examples are water and ammonia
  - a. solution
  - b. polar molecule
  - c. solute
  - d. polar bond

- 13. when a gas, liquid or solid is dispersed homogeneously in a liquid; salt dissolved in water forms a solution
  - a. polar bond
  - b. solvent
  - c. solution
  - d. solute
- 14. the force near the surface of a liquid due to unbalanced molecular forces; it causes the surface to assume a minimum area
  - a. precipitation
  - b. saturated solution
  - c. surface tension
  - d. solution